

# Keystone Coach Works



## \* DISASTER RESPONSE UNIT – DRU 2 SPECIFICATIONS

### CHASSIS

Ford E-456 Commercial Cut-a-way  
176" wheelbase w/ dual rear wheels  
6.8L EFI V-10 gasoline Engine  
Automatic transmission w/ overdrive, oil cooler  
LT225/75R-16E all season tires  
115 amp Alternator  
Heavy-duty battery with second auxiliary battery  
Heavy duty suspension  
Power brakes  
Power steering  
Super Engine Cooling  
55 gallon total capacity fuel tanks  
Electronic AM/FM radio w/clock  
Cab air conditioning  
Grey interior trim  
White exterior paint  
Telescoping trailer tow mirrors

### BODY

FRP Panel Box, Aluminum Roof & Front Corners  
Recessed bulkhead for cab area extension  
16 ft. long 8 ft wide 7 ft. high  
Aerodynamic rolled body corners  
Prepared white exterior aluminum  
Exterior body rub rail  
Solid bulkhead behind cab and work areas  
Sliding door in bulkhead  
20/80 rear doors w/ slamlock w/ 12"x18" windows  
Aluminum grab handle on rear entry (curb side)  
H D 12 gauge steel floor frame w/ 1.125" plywood floor  
Insulated in walls and ceiling  
H D rubber mud flaps  
Kemlite .060 lining on walls and ceiling

### AUDIBLE/VISUAL WARNING EQUIPMENT

1 – Light bar mounted on cab roof  
6 – Flashing LED lights mounted top rear, bottom rear back & top rear side of box  
2 - Flashing LED lights mounted bottom rear

- 2 – Flashing LED lights mounted on front bumper
- 1 – Siren with PA & 100 watt speaker
- 1 – Backup warning alarm

#### LPG SYSTEM

- 2 – 20 lb. Propane tanks
- Tie-down mount for tanks
- High-pressure propane lines
- Single tank regulator
- Exterior compartment w/ louvered door and vent through

#### ELECTRICAL SYSTEM

- 12.5 kW Commercial generator
- Generator remote start/stop switch and hour meter switch located w/ interior Switches
- Exterior access door w/louvers
- Circuit panel with appropriate breakers
- 5 – Interior outlets
- 1 – Interior outlet on switch (for coffee maker)
- 3 – Exterior outlets (2 – passenger side, 1 – drivers side)
- 50 amp, 12v power converter
- Auxiliary battery, located under body below generator
- Isolator to second battery
- Exterior shoreline connector with 25 ft. cord
- Dash mounted switch panel for warning and scene lights
- 12v dome light and water pump switches located above sink
- Exterior switches on front of body for Kwik-Raze floodlights
- 6 – Weldon #1010 interior dome lights
- 3 – 4' 2-bulb fluorescent light fixtures in nylon housings

#### EXTERIOR SCENE FLOOD LIGHTS

- 4 – Weldon 3020 12v 13 degree angles scene lights
- 2 – Halogen 12 v Cargo lights above rear doors, automatic activation w/ vehicle back up lights
- 2 – Kwik-Raze 220v/500w quartz floodlights mounted on body front w/ exterior switches

#### WATER SYSTEM

- 36 Gallon fresh water tank (mounted under the body)
- 27 Gallon polyethylene gray water holding tank
- Single stage 12v pressure regulated demand pump
- 10 Gallon LPG gas direct fire
- Bypass valve for hot water system
- Associated high pressure lines
- Stainless steel bar sink w/ high top faucet

Stainless Steel 3 bowl sink with backsplash & 13" drainboards  
Single stage 12v pressure regulated pump  
Exterior water fill inlet, w/ fill inlet compartment door  
BASIC SERVICE EQUIPMENT

Castle LPG hot plate 4 burner 24" wide  
Castle LPG Griddle 36" wide  
Two Dometic Microwave over the range 1.1 cu ft 850/1350 watt Convection oven  
Standard Refrigerator – True Food Service T-19 Refrigerator or  
True Food Service T-19F Freezer

Optional Refrigerator True Food Service T23-DT Refrigerator/Freezer or  
Dometic 2 way Extra large Side by Side Refrigerator  
(110v/LPG)

Three burner Bunn Pour-O-Matic coffee maker w/pots  
Exterior 12 ft. awning  
3 - 12 ft. cargo belts and related belt tracking

### STANDARD SAFETY EQUIPMENT

5 LB. ABC Fire Extinguisher  
Rear grip strut bumper  
Automatic Reverse switch for rear floodlights  
2 – 90" seat belts on passenger bench seat

### INTERIOR OUTFITTING

All cabinets will be plywood construction w/laminate  
Counter tops – Stainless Steel  
Interior cabinet heights will be as follows:  
Road/ work side – 36" Curb/ serving side 29"  
Serving window will be 34" x 34" w/ no bottom frame  
Safety glass, window to rest directly on serving ledge  
Polished Aluminum Serving ledge  
Two passenger bench seat, located rear road side w/ removable cushion to  
Access storage under seat  
Folding counter top road side (approx. 3'1" long) above bench  
Folding counter tops curb side (approx. 5'6" long) above 3 bowl sink

### FLOORING

Altro Transit Flooring provides you with a true slip resistant surface. The floor also has bacteriostat which provides for a no odor or mold finish.

### LETTERING/DECALS

Lettering will be as shown in layout drawings

Installation of Salvation Army shield decals  
Division or city name to be specified by customer (one line text included)

### AIR CONDITIONING

Dometic low profile 110v, 13,500 BTU roof mount A/C unit w/ heat strip for work  
Area

### MISCELLANEOUS

Class 3 trailer hitch (wiring and plug installation customer's responsibility)  
Uniden scanner radio

- **Note Specifications subject to change without notice**

#### **Contact Information:**

**Keystone Coach Works, Inc.**  
**4786 Library Road**  
**Bethel Park, PA 15102**  
**412-833-1900**  
**412-833-1918 fax**  
**Sales@KeystoneCoachworks.com**



(1-15-09)