

# Keystone Coach Works



## **\* DISASTER RESPONSE UNIT – DRU 2 SPECIFICATIONS**

### **CHASSIS**

Ford E-456 Commercial Cut-a-way  
176" wheelbase w/ dual rear wheels  
6.8L EFI V-10 gasoline Engine  
Automatic transmission w/ overdrive, oil cooler  
LT225/75R-16E all season tires  
115 amp Alternator  
Heavy-duty battery with second auxiliary battery  
Heavy duty suspension  
Power brakes  
Power steering  
Super Engine Cooling  
55 gallon total capacity fuel tanks  
Electronic AM/FM radio w/clock  
Cab air conditioning  
Grey interior trim  
White exterior paint  
Telescoping trailer tow mirrors

### **BODY**

FRP Panel Box, Aluminum Roof & Front Corners  
Recessed bulkhead for cab area extension  
16 ft. long 8 ft wide 7 ft. high  
Aerodynamic rolled body corners  
Prepared white exterior aluminum  
Exterior body rub rail  
Solid bulkhead behind cab and work areas  
Sliding door in bulkhead  
20/80 rear doors w/ slamlock w/ 12"x18" windows  
Aluminum grab handle on rear entry (curb side)  
H D 12 gauge steel floor frame w/ 1.125" plywood floor  
Insulated in walls and ceiling  
H D rubber mud flaps  
Kemlite .060 lining on walls and ceiling

### **AUDIBLE/VISUAL WARNING EQUIPMENT**

1 – Light bar mounted on cab roof  
6 – Flashing LED lights mounted top rear, bottom rear back & top rear side of box  
2 – Flashing LED lights mounted on front bumper

1 – Siren with PA & 100 watt speaker

1 – Backup warning alarm

### LPG SYSTEM

2 – 20 lb. Propane tanks

Tie-down mount for tanks

High-pressure propane lines

Single tank regulator

Exterior compartment w/ louvered door and vent through

### ELECTRICAL SYSTEM

12.5 kW Commercial generator

Generator remote start/stop switch and hour meter switch located w/ interior

Switches

Exterior access door w/louvers

Circuit panel with appropriate breakers

5 – Interior outlets

1 – Interior outlet on switch (for coffee maker)

3 – Exterior outlets (2 – passenger side, 1 – drivers side)

50 amp, 12v power converter

Auxiliary battery, located under body below generator

Isolator to second battery

Exterior shoreline connector with 25 ft. cord

Dash mounted switch panel for warning and scene lights

12v dome light and water pump switches located above sink

Exterior switches on front of body for Kwik-Raze floodlights

6 – Weldon #1010 interior dome lights

3 – 4' 2-bulb fluorescent light fixtures in nylon housings

### EXTERIOR SCENE FLOOD LIGHTS

4 – Weldon 3020 12v 13 degree angles scene lights

2 – Halogen 12 v Cargo lights above rear doors, automatic activation w/ vehicle back up lights

2 – Kwik-Raze 220v/500w quartz floodlights mounted on body front w/ exterior switches

### WATER SYSTEM

36 Gallon fresh water tank (mounted under the body)

27 Gallon polyethylene gray water holding tank

Single stage 12v pressure regulated demand pump

10 Gallon LPG gas direct fire

Bypass valve for hot water system

Associated high pressure lines

Stainless steel bar sink w/ high top faucet

Stainless Steel 3 bowl sink with backsplash & 13" drainboards

Single stage 12v pressure regulated pump  
Exterior water fill inlet, w/ fill inlet compartment door

#### BASIC SERVICE EQUIPMENT

Castle LPG hot plate 4 burner 24" wide  
Castle LPG Griddle 36" wide  
Stainless Tray and back splash in cooking area  
Two Dometic Microwave over the range 1.1 cu ft 850/1350 watt Convection oven  
Standard Refrigerator – True Food Service T-19 Refrigerator or  
True Food Service T-19F Freezer

Optional Refrigerator     True Food Service T23-DT Refrigerator/Freezer or  
Dometic 2 way Extra large Side by Side Refrigerator  
(110v/LPG)

Three burner Bunn Pour-O-Matic coffee maker w/pots  
Exterior 12 ft. awning  
3 - 12 ft. cargo belts and related belt tracking

#### STANDARD SAFETY EQUIPMENT

5 LB. ABC Fire Extinguisher  
Rear grip strut bumper  
Automatic Reverse switch for rear floodlights  
2 – 90" seat belts on passenger bench seat

#### INTERIOR OUTFITTING

All cabinets will be plywood construction w/laminate  
Counter tops – Stainless Steel  
Interior cabinet heights will be as follows:  
Road/ work side – 36" Curb/ serving side 29"  
Serving window will be 34" x 34" w/ no bottom frame  
Safety glass, window to rest directly on serving ledge  
Polished Aluminum Serving ledge  
Two passenger bench seat, located rear road side w/ removable cushion to  
Access storage under seat  
Folding counter top road side (approx. 3'1" long) above bench  
Folding counter tops curb side (approx. 5'6" long) above 3 bowl sink

#### FLOORING

Altro Transit Flooring provides you with a true slip resistant surface. The floor also has bacteriostat which provides for a no odor or mold finish.

#### LETTERING/DECALS

Lettering will be as shown in layout drawings

Installation of Salvation Army shield decals

Division or city name to be specified by customer (one line text included)

### AIR CONDITIONING

Dometic low profile 110v, 13,500 BTU roof mount A/C unit w/ heat strip for work Area

### MISCELLANEOUS

Class 3 trailer hitch (wiring and plug installation customer's responsibility)

Uniden scanner radio

- **Note Specifications subject to change without notice**

#### **Contact Information:**

**Keystone Coach Works, Inc.**  
**4786 Library Road**  
**Bethel Park, PA 15102**  
**412-833-1900**  
**412-833-1918 fax**  
**Sales@KeystoneCoachworks.com**



(1-17-12)